



**NOTES:**

1. SIZE OF PLANTING PIT SHALL BE 4' BY 6' BY 3' DEEP.
2. FOR DECIDUOUS TREES, 2" CALIPER MINIMUM AND BRANCHING STARTS 5' ABOVE GRADE (UNLESS OTHER APPROVED BY CITY.)
3. TREES SHALL NOT BE PLANTED WITHIN 10' OF ANY UG UTILITY ACCESS WHICH MAY BE LOCATED IN THE PLANTER STRIP OR ADJACENT SIDEWALK.
4. STAKE ONLY WHEN NECESSARY OR IF REQUIRED BY THE CITY AND INCLUDE TIMELINE FOR REMOVAL OF STAKES AND TIES.
5. ROOT BARRIER TO BE DEEPROOT (OR APPROVED EQUAL 18" BY 36" BY 6' LONG INSTALLED ON BOTH CURB AND SIDEWALK SIDE.
6. NO EVERGREEN TREES IN PUBLIC RIGHT OF WAY

**STANDARD DETAIL  
TREE PLANTING  
BACK OF WALK**



SCALE: AS SHOWN	DESIGNED	CHECKED	DATE APPROVED	STANDARD SPECIFICATIONS
	DRAWN	CAW		
DATE DRAWN	10/16/2020			
REVISIONS	DATE	INITIAL		